

STAHLROHRE

LAGERABMESSUNGEN & GEWICHTE



ARTINGER
STAHLROHR

		Wandstärke in mm																										
		1,8	2,0	2,3	2,6	2,9	3,2	3,6	4,0	4,5	5,0	5,6	6,3	7,1	8,0	8,8	10,0	11,0	12,5	14,2	16,0	17,5	20,0					
Außen Ø in mm	10,2		0,40		0,49																				10,2	Außen Ø in mm		
	13,5			0,64		0,76	0,81																				13,5	
	17,2				0,94	1,02	1,10																				17,2	
	20,0		0,89		1,12	1,22	1,33	1,46	1,58	1,72	1,85																20,0	
	21,3		0,95		1,20	1,32	1,43	1,57	1,71	1,86	2,01																21,3	
	25,0		1,13		1,44	1,58	1,72	1,90	2,07	2,28	2,47	2,68	2,91														25,0	
	26,9		1,23		1,56	1,72	1,87	2,07	2,26	2,49	2,70	2,94	3,20														26,9	
	30,0		1,38	1,57	1,76	1,94	2,11	2,34	2,56	2,83	3,08	3,37															30,0	
	31,8				1,87	2,07	2,26	2,50	2,74	3,03	3,30	3,62	3,96														31,8	
	33,7		1,56	1,78	1,99	2,20	2,41	2,67	2,93	3,24	3,54	3,88	4,26														33,7	
	35,0				2,08	2,30	2,51	2,79	3,06	3,38	3,70	4,06	4,46														35,0	
	38,0		1,78	2,02	2,27	2,51	2,75	3,05	3,35	3,72	4,07	4,47	4,93	5,41													38,0	
	42,4		1,99	2,27	2,55	2,82	3,09	3,44	3,79	4,21	4,61	5,08	5,61	6,18	6,79	7,29											42,4	
	44,5		2,10	2,39	2,69	2,98	3,26	3,63	4,00	4,44	4,87	5,37	5,94														44,5	
	48,3		2,28	2,61	2,93	3,25	3,56	3,97	4,37	4,86	5,34	5,90	6,53	7,21	7,95	8,57	9,45										48,3	
	51,0			2,76	3,10	3,44	3,77	4,21	4,64	5,16	5,67	6,27	6,94	7,69	8,48												51,0	
	54,0			2,93	3,30	3,65	4,01	4,47	4,93	5,49																	54,0	
	57,0			3,10	3,49	3,87	4,25	4,74	5,23	5,83	6,41	7,10	7,88	8,74	9,67	10,46	11,59										57,0	
	60,3		2,88	3,29	3,70	4,11	4,51	5,03	5,55	6,19	6,82	7,55	8,39	9,32	10,32	11,18	12,40	13,37	14,74								60,3	
	63,5				3,90	4,33	4,76	5,32	5,87	6,55	7,21	8,00	8,89	9,88	10,95	11,87	13,19										63,5	
	70,0		3,35	3,84	4,32	4,80	5,27	5,90	6,51	7,27	8,01	8,89	9,90	11,01	12,23	13,28	14,80	16,01	17,73	19,54	21,31						70,0	
	76,1		3,65	4,19	4,71	5,24	5,75	6,44	7,11	7,95	8,77	9,74	10,84	12,08	13,44	14,61	16,30	17,66	19,61	21,68							76,1	
	82,5					5,69	6,26	7,00	7,74	8,66	9,56	10,62	11,84	13,20	14,70						23,92	26,24					82,5	
	88,9		4,29	4,91	5,53	6,15	6,76	7,57	8,38	9,37	10,35	11,50	12,83	14,32	15,96	17,38	19,46	21,13	23,55	26,16	28,77						88,9	
	95,0					6,59	7,24																				95,0	
	101,6		4,91		6,35	7,06	7,77	8,70	9,63	10,78	11,91	13,26	14,81	16,55	18,47	20,14	22,59	24,58	27,47	30,61	33,78	36,30	40,25				101,6	
	108,0					7,52	8,27	9,27	10,26	11,49	12,70	14,14	15,80	17,67	19,73			26,31	29,44	32,85	36,30						108,0	
	114,3		5,54			7,97	8,77	9,83	10,88	12,19	13,48	15,01	16,78	18,77	20,97	22,90	25,72	28,02	31,38	35,05	38,79	41,78	46,51				114,3	
	121,0					8,45	9,30	10,42	11,54	12,93	14,30	15,94	17,82	19,94	22,29	24,35	27,37	29,84	33,45									121,0
	127,0					8,88	9,77	10,96	12,13	13,59	15,04	16,77	18,75	20,99	23,48	25,65	28,85											127,0
133,0					9,30	10,24	11,49	12,73	14,26	15,78	17,59	19,69	22,04	24,66	26,95											133,0		
139,7							12,08	13,39	15,00	16,61	18,52	20,73	23,22	25,98	28,41	31,99	34,91	39,21								139,7		
152,4							13,21	14,64	16,41	18,18	20,27	22,70	25,44	28,49	31,16	35,12	38,36	43,13	48,40							152,4		
159,0							13,80	15,29	17,15	18,99	21,19	23,72	26,60	29,79	32,60	36,75	40,15	45,16	50,71							159,0		
168,3					11,83	13,03	14,62	16,21	18,18	20,14	22,47	25,17	28,23	31,63	34,61	39,04										168,3		
177,8								17,14	19,23	21,31	23,78	26,65	29,89	33,50	36,68	41,38	45,25	50,96								177,8		
193,7					13,65	15,03	16,88	18,71	21,00	23,27	25,98	29,12	32,67	36,64	40,13	45,30										193,7		
203,0																		58,73								203,0		
219,1							19,13	21,22	23,82	26,40	29,49	33,06	37,12	41,65	45,64	51,57		63,69					98,20		219,1			
244,5								23,72		29,53	32,99	37,01	41,57	46,66	51,15	57,83		71,52								244,5		
273,0								26,54		33,05	36,93	41,44	46,56	52,28	57,34	64,86		80,30								273,0		
323,9								31,56	35,45	39,32	43,96	49,34	55,47	62,32	68,38	77,41		95,99								323,9		
355,6										43,23	48,34	54,27	61,02	68,58	75,26	85,23		105,77			134,00					355,6		
406,4										49,50	55,35	62,16	69,92	78,60	86,29	97,76		121,43						190,58		406,4		
457,0										55,73	62,34	70,02	78,78	88,58	97,27	110,24		137,03								457,0		
508,0												77,95	87,71	98,65	108,34	122,81		152,75								508,0		
		1,8	2,0	2,3	2,6	2,9	3,2	3,6	4,0	4,5	5,0	5,6	6,3	7,1	8,0	8,8	10,0	11,0	12,5	14,2	16,0	17,5	20,0					
		Wandstärke in mm																										

Gewichtangaben in kg/m